Northwest Science
Volume 65 (1991)
Author and Subject Index

[All entry headings for AUTHORS are distinguished from subject entries by the use of capital letters.]

AGEE, J.A. Fire history along an elevational gradient in the Siskiyou Mountains, Oregon. 188-199
AGEE, J.A., J.B. KAUFFMAN and S.G. PICKFORD. Introduction to the special Northwest Science issue: The George Fahnestock Memorial Fire Symposium. 139-140
AIDS education
  interdisciplinary approach: Centanni, 66(abs16)
air quality
  lichens as bioindicators: Derr and Geiser, 78(abs62)
Alaska
  hemlock dwarf mistletoe infection: Shaw and Loopstra, 48-52
  spruce beetle: Hard and Holsten, 205-211
ammonium deposition
  Cascade Mountains: Eilers, 238-247; Taylor, 253-254
amphibians
  tailed frog tadpoles: Brown, 68(abs22)
  trap vulnerability: McComb *et al.* 109-115
ANTELL, K.S. A reappraisal of the morphology of *Lomatium cous* (S. Wats.) Coult. & Rose (Apiaceae) from high elevations. 75(abs50)
ANTHONY, R.G. *see* McComb *et al.* 109-115
ants
  harvester colonies: Munger, 72(abs39)
aquifers
  Snake River plain: Barrash, 73(abs44); Lindholm, 75(abs49)
Astragalus
  reproduction and growth: Owen, 68(abs24)
ATKINSON, E.C. Niche overlap of northern shrikes (*Lanius excubitor*) and American kestrels (*Falco sparverius*) wintering in southwest Idaho. 77(abs60)

BARRASH, W. Monitoring for impact of INEL on the Snake River plain aquifer. 73(abs44)
Beartooth Mountains, WY
  bird use of forest: Norment, 1-9
BECHARD, M.J. *see* Phelps and Bechard, 77(abs57)
beetles
  spruce: Hard and Holsten, 205-211
BENNETTS, R.E. and B.R. McCLELLAND. Differences in the distribution of adult and immature bald eagles at an autumn concentration in Montana. 223-230
biogeoclimatic units
  coastal B.C.: Klinka *et al.* 32-47
birds
  bald eagles: Bennetts and McClelland, 223-230
  hawks and snakes: Grothe *et al.* 70(abs29)
  Mauritius kestrels: Carter, 80(abs69)
  nesting prairie falcons: Holthuijzen, 74(abs48)
  osprey range and habitat: Phelps and Bechard, 77(abs57)
  riparian communities: Lock and Naiman, 69(abs27)
  shrikes and kestrels overlap: Atkinson, 77(abs60)
  songs and hormone levels: Dufty, 67(abs17)
  use of forest patches: Norment, 1-9
bobcats (*Felis rufus*)
  skulls: Ommundsen, 248-250
BOLLES, J. The Bacon Street landslide, an analysis of slope failure. 78(abs61)
book review
  Yellowstone Vegetation by Don G. Despain (reviewer—G.G. Spomer), 251-252
boreholes
  subsurface microbiology: Stevens *et al.* 72(abs40)
BORZAGER, F.R. and R.J. TAYLOR. The pollination of *Silene acaulis* (Caryophyllaceae). 77(abs58)
botany
  Astragalus reproduction: Owen, 68(abs24)
  grass germination: Hardegree, 69(abs25)
  knapweed and insect galls: Taylor and Harrod, 75(abs52)
  knapweed pollination: Harrod and Taylor, 76(abs53)
  Lamium hybridum: Taylor, 116-124
  Lomatium cous morphology: Antell, 75(abs50)
  meadowfoam germination: Southworth and Kwiatkowski, 71(abs36)
  scarification and seed germination: Kauffman and Martin, 180-187
  Silene acaulis pollination: Borzager and Taylor, 77(abs58)
BOYDEN, S. *see* Yensen *et al.* 93-100
BRACKEN, E.F. *see* Hein *et al.* 217-222
BRAKKE, D.F. *see* Hachmöller *et al.* 125-132
British Columbia
  biogeoclimatic units: Klinka *et al.* 32-47
BROCKMAN, F.J. *see* Stevens *et al.* 72(abs40)
BROWN, H. Population structure, growth, and size of tailed frog (*Ascaphus*) tadpoles from a lowland stream in northwestern Washington. 68(abs22)
Bruneau River, ID
  geology and landforms: Butler, 79(abs66)
BUNTING, S.C. Fire ecology of the Snake River plain. 64(abs6)
burrows
  ground squirrels: Yensen *et al.* 93-100
BUTLER, M.G. Geology, landforms and lateral erosion of the Bruneau River. 79(abs66)

CAMPBELL, D.L. *see* Farley and Campbell, 71(abs34)
CARRAWAY, L.N. and B.J. VERTS. Pattern and color aberrations in pelages of *Scapanus townsendii*. 16-21
CARTER, J. Home range and habitat utilization of breeding Mauritius kestrels (*Falco punctatus*). 80(abs69)
Cascade Mountains
  ammonium deposition: Eilers, 238-247; Taylor, 253-254
CENTANNI, R.J. An interdisciplinary approach to AIDS education: two year success story. 66(abs16)
Centaurea *see* knapweed
CHISZAR, D. and H.M. SMITH. Strike-induced chemosensory searching (SICS) in rattlesnakes: recent studies on trail following, repeated testing, and chemical learning. 63(abs1)
CHRISTIANSEN, E.C. and S.G. PICKFORD. Natural abatement of fire hazard in Douglas-fir blowdown and thinning fuelbeds. 141-148
CHRISTY, J.A. Oregon's lichens and bryophytes: assessing rarity. 66(abs14)
CLARK, W.H. and A.M. HAMPTON. Longitudinal zonation of triclads in Rock Creek (Idaho). 68(abs21)

climatology
observation time and daily temperature: Hanson, 100-108
COBB, V.A. *see* Peterson and Cobb, 70(abs31)
COBB, V.A. and C.R. PETERSON. Daily activity patterns of free-ranging, Great Basin rattlesnakes. 70(abs30)
COLE, E.C. *see* Hyatt *et al.* 64(abs8)
cottontails, Nuttall's (*Sylvilagus nuttallii*)
free-living behavior: Verts and Gehman, 231-237
cow-birds (*Molothrus ater*)
songs and hormone levels: Dufty, 67(abs17)
coyotes
food and habitat: Reichel, 133-137

deer
western hemlocks damaged: Hyatt *et al.* 64(abs8)
DENISON, W.C. Oak lichens in Redwood National Park. 72(abs37)
deposition
ammonium: Eilers, 238-247; Taylor, 253-254
DERR, C.C. and L. GEISER. Lichens as bioindicators of air quality on the Tongass National Forest. 78(abs62)
Dooley Mountain, OR
geology: Unsworth, 67(abs20)
DOUGHERTY, M.E. *see* Parker *et al.* 72(abs38)
_____. *see* Vincent *et al.* 73(abs43)
Douglas-firs
epiphyte litterfall: McCune, 69(abs26)
fire hazard: Christiansen and Pickford, 141-148
naturally regenerated seedlings: Jones, 79(abs68)
provenance progeny test: Sziklai, 66(abs15)
seedling survival after fire: Jones, 79(abs67)
DUFTY, A.M. Songs and calls in a free-living bird: seasonal patterns and their relationship to circulating testosterone levels. 67(abs17)

eagles, bald (*Haliaeetus leucocephalus*)
distribution: Bennetts and McClelland, 223-230
ecology
ecosystems and politics: Freemuth, 73(abs41)
ecosystems in coastal B.C.: Klinka *et al.* 32-37
fire ecology: Bunting, 64(abs6)
revegetation after fires: Pellant, 64(abs5)
vegetation: Hironaka, 64(abs7)
wetlands inventory methods: Folsom, 67(abs19)
EILERS, J.M. Are lakes in the Cascade Mountains receiving high ammonium deposition? 238-247
elk (*Cervus*)
Rocky Mountain (*C. elaphus nelsoni*): Hein *et al.* 217-222
EMERS, M. Community patterns along a water level gradient in freshwater wetlands. 78(abs63)
EMMINGHAM, W.H. *see* Entry and Emmingham, 71(abs33)
EMMINGHAM, W.H. and J.A. ENTRY. Recovery of plant species associations in the area impacted by the Mount St. Helens volcanic eruption. 70(abs32)
ENTRY, J.A. *see* Emmingham and Entry, 70(abs32)
ENTRY, J.A. and W.H. EMMINGHAM. Ten year recovery of forest vegetation impacted by the Mount St. Helens eruption. 71(abs33)
EVERSMAN, S. Some observations on lichen distribution in Yellowstone National Park. 68(abs23)

Fahnestock Fire Symposium
fire issues: Agee *et al.* 139-140
papers: 141-199
falcons, prairie (*Falco mexicanus*)
nesting behavior: Holthuijzen, 74(abs48)
FARLEY, J.P. and D.L. CAMPBELL. Movement of radio-transmittered paraffin diphacinone bait blocks by forest pocket gophers. 71(abs34)
fires
Fahnestock memorial symposium: Agee *et al.* 139-140; papers, 141-199
fir seedling survival: Jones, 79(abs67)
hazard in Douglas-fir: Christiansen and Pickford, 141-148
logging slash fuel consumption: Hall, 158-165
on managed forest stands: Omi and Kalabokidis, 149-157
rate in peat: Frandsen, 166-172
revegetation after wildfires: Pellant, 64(abs5)
in sagebrush ecosystems: Sapsis and Kauffman, 173-179
scarification of shrub seeds: Kauffman and Martin, 180-187
in Siskiyou Mountains: Agee, 188-199
vegetation and fires: Bunting, 74(abs6)
firs, grand (*Abies grandis*)
ecology and distribution: Van Pelt, 65(abs12)
fish
brook trout: Toetz *et al.* 89-92
grayling in enclosures: McClure and Gould, 201-204
FOLSOM, M.M. Wetlands inventory methods: science applied to public policy. 67(abs19)
forests
animal damage to hemlocks: Hyatt, 64(abs8)
bird use: Norment, 1-9
Douglas-fir fire hazards: Christiansen and Pickford, 141-148
Douglas-fir provenance: Sziklai, 66(abs15)
Douglas-fir seedlings: Jones, 79(abs67 & 68)
dwarf mistetoe on hemlock: Shaw and Loopstra, 48-52
epiphytic litterfall: McCune, 69(abs26)
fire hazards on managed stands: Omi and Kalbokidis, 149-157
grand fir ecology: Van Pelt, 65(abs12)
lichens as bioindicators: Derr and Geiser, 78(abs62)
lodgepole pine rust: Hoff, 75(abs51)
logging slash fires: Hall, 158-165
natural regeneration: Lewis and Park, 65(abs10)
single leaf pinyon: Hurd and Morgensen, 74(abs47)
small animal traps: McComb *et al.* 109-115
small mammals: Walters, 27-31
spruce beetle attacks: Hard and Holsten, 205-211
understory vegetation: Riegel *et al.* 10-15
vegetation after eruptions: Entry and Emmingham, 71(abs33)
foxes, red
eastern Washington: Lyman, 22-26
FRANDSEN, W.H. Burning rate of smoldering peat, 166-172
FREDRICKSON, J.K. *see* Stevens *et al.* 72 (abs40)
FREEMUTH, J.C. Ecosystems and political systems: problems in integration. 73(abs41)
frogs, tailed (*Ascaphus*)
tadpoles: Brown, 68(abs22)

GALLEGOS, D.M. Geology of the western Snake River plain. 76(abs56)
GEHMAN, S.D. *see* Verts and Gehmen, 231-237
GEISER, L. *see* Derr and Geiser, 78(abs62)
GEISER, L.H. Lichen communities of old growth western hemlock forests and shoreline muskegs of the Tongass National Forest, SE Alaska. 65(abs11)
geology
Bruneau River: Butler, 79(abs66)
Dooley Mountain: Unsworth, 67(abs20)
seismic gun: Parker *et al.* 72(abs38)
seismic scattering in Ocean crust: Vincent *et al.* 73(abs43)
slumps: Laval, 63(abs4)

Snake River plain: Lindholm, 75(abs49); Gallegos, 76(abs56); Hackett and Smith, 78(abs64)
gophers, pocket (*Thomomys* spp)
bait movement: Farley and Campbell, 71(abs34)
GOULD, W.R. *see* McClure and Gould, 201-214
grass
germination: Hardegree, 69(abs25)
grayling, Arctic (*Thymallus arcticus*)
in enclosures: McClure and Gould, 201-204
GROTHE, S., C.R. PETERSON and C.H. TROST. Red-tailed hawk predation on snakes: the effects of weather and snake activity. 70(abs29)

habitats
analyses and protection: Tanimoto, 65(abs9)
fire and habitats: Bunting, 64(abs6)
revegetation after wildfires: Pellant, 64(abs5)
wetlands inventory methods: Folsom, 67(abs19)
HACHMÖLLER, B., R.A. MATTHEWS and D.F. BRAKKE. Effects of riparian community structure, sediment size, and water quality on the macroinvertebrate communities in a small, suburban stream. 125-132
HACKETT, W.R. and R.P. SMITH. Volcanism and faulting of the eastern Snake River plain: new ideas and implications for geologic-hazards assessment at the Idaho National Engineering Laboratory. 78(abs64)
HALL, J.N. Comparison of fuel consumption between high intensity and moderate intensity fires in logging slash. 158-165
HALLETT, J.G. *see* Mackelburg and Hallett, 77(abs59)
HAMPTON, A.M. *see* Clark and Hampton, 68(abs21)
HANSON, C.L. The effect of observation time and sampling frequency on mean daily maximum, minimum and average temperature. 100-108
HANSON, C.L. and J.R. WIGHT. Energy balance of sagebrush-grass range sites. 74(abs46)
HARD, J.S. and E.H. HOLSTEN. Spruce beetle attacks and surviving beetle brood in limbed and bucked spruce in south-central Alaska. 205-211
HARDEGREE, S.P. A matric-priming technique for enhancing the germination characteristics of small-seeded grass species. 69(abs25)
HARROD, R.J. *see* Taylor and Harrod, 75 (abs52)
HARROD, R.J. and R.J. TAYLOR. Pollination ecology of *Centaurea diffusa* Lam. (Compositae). 76(abs53)
hawks, red-tailed (*Buteo jamaicensis*)
and snakes: Grothe *et al.* 70(abs29)
HAYES, W.K. Factors influencing venom expenditure by rattlesnakes. 63(abs2)
hazard assessment
Snake River plain: Hackett and Smith, 78(abs64)
health education
on AIDS: Centanni, 66(abs16)
HEIN, R.G., J.L. MUSSER and E.F. BRACKEN. Serologic, parasitic and pregnancy survey of the Colockum elk herd in Washington. 217-222
hemlocks, western (*Tsuga heterophylla*)
animal damage: Hyatt *et al.* 64(abs8)
dwarf mistletoe infection: Shaw and Loopstra, 48-52
epiphytic litterfall: McCune, 69(abs26)
lichens: Geiser, 65(abs11)
HIRONAKA, M. Vegetation of lower Snake River plains. 64(abs7)
HIV/AIDS
education: Centanni, 66(abs16)
HOFF, R.J. Susceptibility of lodgepole pine from the middle Columbia River system to western gall rust. 75(abs51)
HOLSTEN, E.H. *see* Hard and Holsten, 205-211
HOLTHUIJZEN, A.M.A. Behavior of nesting prairie falcons (*Falco mexicanus*). 74(abs48)
HOUSTON, D.B., B.B. MOORHEAD and R.W. OLSON. Mountain goat population trends in the Olympic Mountain Range, Washington. 212-216
HURD, E. and H.L. MOGENSEN. Foliar initiation and the fate of the dwarf-shoot apex in *Pinus monophylla*. 74(abs47)
HYATT, J.M., E.C. COLE and M. NEWTON. The effects of animal damage upon the growth of western hemlock seedlings in riparian zones of the Oregon Coast Range. 64(abs8)
hybrids
Lamium hybridum: Taylor, 116-124
hydrology
Snake River plain: Lindholm, 75(abs49)

INEL Oversight Program
Snake River plain aquifer: Barrash, 73(abs44)
invertebrates
harvester ant colonies: Munger, 72(abs39)
macro-, in small streams: Hachmöller *et al.* 125-132
spruce beetles: Hard and Holsten, 205-211
triclads in rivers: Clark and Hampton, 68(abs21)

JONES, M.H. Influence of aspect and shade cards on first-season survival of outplanted Douglas-fir seedlings on a severely-burned site in southcentral Idaho. 79(abs67)
_____. Neighborhood analysis of naturally regenerated Douglas-fir seedlings in southcentral Idaho clearcuts. 79(abs68)

KALABOKIDIS, K.D. *see* Omi and Kalabokidis, 149-157
KARDONG, K.V. What is a "venomous" snake? 66(abs13)
KAUFFMAN, J.B. *see* Agee *et al.* 139-140
_____. *see* Sapsis and Kauffman, 173-179
KAUFFMAN, J.B. and R.E. MARTIN. Factors influencing the scarification and germination of three montane Sierra Nevada shrubs. 180-187
kestrels (*Falco*)
American (*F. sparverius*), and shrikes: Atkinson, 77(abs60)
Mauritius (*F. punctatus*), range: Carter, 80(abs69)
KLINKA, K., J. POJAR and D.V. MEIDINGER. Revision of biogeoclimatic units of coastal British Columbia. 32-47
knapweed (*Centaurea*)
insect galls: Taylor and Harrod, 75(abs52)
invasion in northwest: Roché and Roché, 53-61
pollination ecology: Harrod and Taylor, 76(abs53)
KRUEGER, W.C. *see* Reigel *et al.* 10-15
KWIATKOWSKI, S. *see* Southworth and Kwiatkowski, 71(abs36)

lagomorphs
Nuttall's cottontails: Verts and Gehman, 231-237
western hemlocks damaged: Hyatt *et al.* 64(abs8)
lakes
alpine brook trout: Toetz *et al.* 89-92
ammonium deposition: Eilers, 238-247; Taylor, 253- 254
Lamium hybridum
search for parent species: Taylor, 116-124
land use
Snake River plain: Plew, 71(abs35)
landslides
slope failure: Bolles, 78(abs61)

LAVAL, W.N. Slumps and floods, Lewiston basin, Idaho and Washington. 63(abs4)
LEWIS, R. and E. PARK. Natural regeneration in southwestern Oregon forests. 65(abs10)
LI, S.W. *see* Stevens *et al.* 72(abs40)
lichens
air quality indicators: Derr and Geiser, 78(abs62)
Alaskan old-growth forests: Geiser, 65(abs11)
distribution in Yellowstone: Eversman, 68 (abs23)
as flying squirrel food: Rosentreter, 74(abs45)
in Oregon: Christy, 66(abs14)
on Oregon white oaks: Denison, 72(abs37)
Rhizoplaca studies: Ryan and Rosentreter, 63(abs3)
LINDHOLM, G.F. Hydrology of the western Snake River plain, Idaho. 75(abs49)
LOCK, P.A. and R.J. NAIMAN. Old growth riparian birds of the Olympic Peninsula: effects of stream size on community structure. 69(abs27)
Lomatium cous
morphology at different elevations: Antell, 75(abs50)
LOOPSTRA, E.M. *see* Shaw and Loopstra, 48-52
LUSCHER, M.P. *see* Yensen *et al.* 93-100
LYMAN, R.L. The Holocene history of the red fox (*Vulpes vulpes*) in eastern Washington. 22-26
lynx, Canada (*Felis lynx*)
skulls: Ommundsen, 248-250

MACKELBURG, L.E. and J.G. HALLETT. The effects of habitat patchiness on the spatial distribution and social organization of microtine rodents. 77(abs59)
mammals, large
coyotes: Reichel, 133-137
elk: Hein *et al.* 217-222
lynx and bobcat skulls: Ommundsen, 248-250
mountain goats: Houston *et al.* 212-216
mammals, small
in forests and clearcuts: Walters, 27-31
ground squirrel burrows: Yensen *et al.* 93-100
Nuttall's cottontails: Verts and Gehman, 231-237
rodent habitat use: Mackelburg and Hallett, 77(abs59)
trap vulnerability: McComb *et al.* 109-115
MARTIN, R.E. *see* Kauffman and Martin, 180-187
MATTHEWS, R.A. *see* Hachmöller *et al.* 125-132
Mauritius
kestrel habitat: Carter, 80(abs69)
McCLELLAND, B.R. *see* Bennetts and McClelland, 223-230
McCLURE, W.V. and W.R. GOULD. Response of underyearling fluvial arctic grayling (*Thymallus arcticus*) to velocity, depth, and overhead cover in artificial enclosures. 201-204
McCOMB, W.C., R.G. ANTHONY and K. McGARIGAL. Differential vulnerability of small mammals and amphibians to two trap types and two trap baits in Pacific Northwest forests. 109-115
McCUNE, B. Epiphytic litterfall in Douglas-fir-hemlock stands of varying ages. 69(abs26)
McGARIGAL, K. *see* McComb *et al.* 109-115
meadowfoam (*Limnanthes*)
germination and propagation: Southworth and Kwiatkowski, 71(abs36)
MEIDINGER, D.V. *see* Klinka *et al.* 32-47
meteorology
observation time and daily temperature: Hanson, 100-108
microbiology
subsurface field studies: Stevens *et al.* 72(abs40)
MILLER, R.F. *see* Riegel *et al.* 10-15
MOGENSEN, H.L. *see* Hurd and Mogensen, 74(abs47)
moles, Townsend's
pelage color variations: Carraway and Verts, 16-21
Montana
bald eagles: Bennetts and McClelland, 223-230
MOORHEAD, B.B. *see* Houston *et al.* 212-216
Mount St. Helens, WA
eruption and plant communities: Emmingham and Entry, 70 (abs32); Entry and Emmingham, 71(abs33)
mountain goats
population trends: Houston *et al.* 212-216
MUNGER, J.C. Colony founding in harvester ants: environmental constraints. 72(abs39)
MUONEKE, M. *see* Toetz *et al.* 89-92
MUSSER, J.L. *see* Hein *et al.* 217-222

NAIMAN, R.J. *see* Lock and Naiman, 69(abs27)
NEWTON, M. *see* Hyatt *et al.* 64(abs8)
NORMENT, C.J. Bird use of forest patches in the subalpine forest-alpine tundra ecotone of the Beartooth Mountains, Wyoming. 1-9

oaks, Oregon white (*Quercus garryana*)
lichens: Denison, 72(abs37)
oceanography
seismic scattering in ocean crust: Vincent *et al.* 73(abs43)
OLSON, R.W *see* Houston *et al.* 212-216
Olympic Mountains, WA
mountain goats: Houston *et al.* 212-216
OMI, P.N. and K.A. KALABOKIDIS. Fire damage on extensively vs. intensively managed forest stands within the North Fork fire, 1988. 149-157
OMMUNDSEN, P.D. Morphological differences between lynx and bobcat skulls. 248-250
Oregon
fires in Siskiyou Mountains: Agee, 188-199
lichens and bryophytes: Christy, 66(abs14)
understory in forests: Riegel *et al.* 10-15
ospreys (*Pandelion haliaetus*)
home range and habitat: Phelps and Bechard, 77(abs57)
OWEN, W.R. Trade-offs between allocation to reproduction and growth in an alpine *Astragalus*. 68(abs24)

PARK, E. *see* Lewis and Park, 65(abs10)
PARKER, J.C., J.R. PELTON and M.E. DOUGHERTY. An electronically detonated downhole seismic gun. 72(abs38)
peat
fire rate: Frandsen, 166-172
PELLANT, M. Revegetation of fire-altered habitat in the Snake River plain. 64(abs5)
PELTON, J.R. *see* Parker *et al.* 72(abs38)
PETERSON, C.R. *see* Cobb and Peterson, 70(abs30)
_____. *see* Grothe *et al.* 70(abs29)
PETERSON, C.R. and V.A. COBB. Thermal ecology of hibernation in Great Basin rattlesnakes. 70(abs31)
PHELPS, J.M. and M.J. BECHARD. Home ranges and foraging habitat of ospreys (*Pandion haliaetus*) at Cascade Reservoir, Idaho. 77(abs57)
PICKFORD, S.G. *see* Agee *et al.* 139-140
_____. *see* Christiansen and Pickford, 141-148
pine, lodgepole
western gall rust: Hoff, 75(abs51)
pinyon, single leaf (*Pinus monophylla*)
foliar initiation: Hurd and Mogensen, 74(abs47)
planning
ecosystems and politics: Freemuth, 73(abs41)

plant communication
W-waves: Wagner, 76(abs54)
plant communities
Mt St Helens eruption: Emmingham and Entry, 70(abs32); Entry and Emmingham, 71(abs33)
riparian meadow water table: Riegel *et al.* 79(abs65)
sagebrush ecosystems and fires: Sapsis and Kauffman, 173-179
sagebrush-grass range: Hanson and Wight, 74(abs46)
shrub seeds and fires: Kauffman and Martin, 180-187
Snake River plain: Hironaka, 64(abs7)
soil and communities: Rust, 69(abs28)
wetlands: Emers, 78(abs63)
Yellowstone Park (book review): Spomer, 251-252
PLEW, M.G. Prehistoric land use of the Snake River plain. 71(abs35)
POJAR, J. *see* Klinka *et al.* 32-47

rattlesnakes (*Crotalus*)
activity patterns: Cobb and Peterson, 70(abs30)
hibernation: Peterson and Cobb, 70(abs31)
searching patterns: Chizar and Smith, 63(abs1)
sidewinder energetics: Secor, 67(abs18)
venom: Hayes, 63(abs2)
REICHEL, J.D. Relationships among coyote food habits, prey populations, and habitat use. 133-137
Rhizoplaca
systematic studies: Ryan and Rosentreter, 63(abs3)
RICHARDSON, G. Science and land use on the Boise front: a place for scientific activism in city planning. 73(abs42)
RIEGEL, G.M., R.F. MILLER and W.C. KRUEGER. Understory vegetation response to increasing water and nitrogen levels in a *Pinus ponderosa* forest in northeastern Oregon. 10-15
RIEGEL, G.M., T.J. SVEIVAR and J.D. TRENT. Seasonal physiologic and community response to a riparian montane meadow water table gradient. 79(abs65)
rings, planetary
and W-waves: Wagner, 76(abs55)
rivers
water quality: Clark and Hampton, 68(abs21)
ROCHÉ, B.F. *see* Roché and Roché, 53-61
ROCHÉ, C.T. and B.F. ROCHÉ. Meadow knapweed invasion in the Pacific Northwest, U.S.A., and British Columbia, Canada. 53-61
Rock Creek, ID
water quality: Clark and Hampton, 68(abs21)
rodents, microtine
patchy habitats: Mackelburg and Hallett, 77 (abs59)
ROSENTRETER, R. The role of lichens in the ecology of the northern flying squirrel. 74(abs45)
———. *see* Ryan and Rosentreter, 63(abs3)
RUST, S.K. Soil and plant relationships at a marine headland, Strait of Juan de Fuca, Washington. 69(abs28)
rust, western gall
lodgepole pine susceptibility: Hoff, 75(abs51)
RYAN, B.D. and R. ROSENTRETER. Preliminary systematic studies on *Rhizoplaca* (lichenized ascomycotina). 63(abs3)

sagebrush
prescribed fires: Sapsis and Kauffman, 173-179
SAPSIS, D.B. and J.B. KAUFFMAN. Fuel consumption and fire behavior associated with prescribed fires in sagebrush ecosystems. 173-179
Scapanus townsendii
pelage color aberrations: Carraway and Verts, 16-21
science and public policy
ecosystems and policy: Freemuth, 73(abs41)
land use and city planning: Richardson, 73 (abs42)
wetlands inventory methods: Folsom, 67(abs19)
SECOR, S.M. The energetics of the sidewinder *Crotalus cerastes*. 67(abs18)
seismic gun
for downhole surveys: Parker *et al.* 72(abs38)
SHAW, C.G. and E.M. LOOPSTRA. Development of dwarf mistletoe infections on inoculated western hemlock trees in southeast Alaska. 48-52
shorepines
lichens: Geiser, 65(abs11)
shrikes, northern (*Lanius excubitor*)
kestrels and shrikes: Atkinson, 77(abs60)
Silene acaulis
pollination ecology: Borzager and Taylor, 77(abs58)
Siskiyou Mountains, OR
fire history: Agee, 188-199
slopes
failure: Bolles, 78(abs61)
slumps
floods and slumps: Laval, 63(abs4)
small mammals *see* mammals, small
SMITH, H.M. *see* Chiszar and Smith, 63(abs1)
SMITH, R.P. *see* Hackett and Smith, 78(abs64)
Snake River plain
fire ecology: Bunting, 64(abs6)
geological hazards: Hackett and Smith, 78 (abs64)
geology: Gallegos, 76(abs56)
INEL oversight program: Barrash, 73(abs44)
land use: Plew, 71(abs35)
rattlesnake activity patterns: Cobb and Peterson, 70(abs30)
revegetation after fires: Pellant, 64(abs5)
vegetation: Hironaka, 64(abs7)
snakes
hawks and snakes: Grothe *et al.* 70(abs29)
rattlesnake activity patterns: Cobb and Peterson, 70(abs30)
rattlesnake hibernation: Peterson and Cobb, 70(abs31)
rattlesnake searching: Chiszar and Smith, 63(abs1)
rattlesnake venom: Hayes, 63(abs2)
sidewinder energetics: Secor, 67(abs18)
toxins and venoms distinguished: Kardong, 66(abs13)
snow
chemistry: Eilers, 238-247; Taylor, 253-254
soils
plants and soils: Rust, 69(abs28)
SOUTHWORTH, D. and S. KWIATKOWSKI. Germination and propagation of meadowfoam (*Limnanthes*) from half seeds. 71(abs36)
SPOMER, G.G. Yellowstone Vegetation (book review). 251-252
spruce
spruce beetle attacks: Hard and Holsten, 205-211
squirrels
flying, and lichens: Rosentreter, 74(abs45)
Idaho ground (*Spermophilus brunneus*), burrows: Yensen *et al.* 93-100
STEVENS, T.O., S.W. LI, F.J. BROCKMAN and J.K. FREDRICKSON. Deep subsurface microbiology field studies in SE Idaho and SE Washington: preliminary results and comparisons. 72(abs40)
streams
bird communities: Lock and Naiman, 69(abs27)
macroinvertebrate communities: Hachmöller *et al.* 125-132
SVEICAR, T.J. *see* Riegel *et al.* 79(abs65)
SWIFT, S.A. *see* Vincent *et al.* 73(abs43)

SZIKLAI, O. Sixteen year results of the IUFRO Douglas-fir provenance-progeny test. 66(abs15)

TANIMOTO, P.D. Aspects of vector and raster-based GIS analyses for park habitat management. 65(abs9)
TAYLOR, H.E. Snow chemistry in Cascade-Sierra Ranges. 253-254
TAYLOR, R.J. The origin of *Lamium hybridum*, a case study in the search for the parents of hybrid species. 116-124
_____. *see* Borzager and Taylor, 77(abs58)
_____. *see* Harrod and Taylor, 76(abs53)
TAYLOR, R.J. and R.J. HARROD. The effectiveness of *Urophora affinis* and *U. quadrifasciata* in reducing seed production in knapweed species. 75(abs52)
temperature, daily
observation time effects: Hanson, 100-108
TOETZ, D., M. MUONEKE and J. WINDELL. Age, growth and condition of brook trout (*Salvelinus fontinalis*) from an unexploited alpine lake. 89-92
traps
small mammal and amphibian vulnerability: McComb *et al.* 109-115
TRENT, J.D. *see* Riegel *et al.* 79(abs65)
TROST, C.H. *see* Grothe *et al.* 70(abs29)
trout, brook (*Salvelinus fontinalis*)
from alpine lake: Toetz *et al.* 89-92
Tsuga *see* hemlocks

understory vegetation
response to water and nitrogen: Riegel *et al.* 10-15
UNSWORTH, C.C. Volcanology and economic geology; Dooley Mountain, Oregon. 67(abs20)
Urophora spp
and knapweed seed: Taylor and Harrod, 75 (abs52)

VAN PELT, R. Ecology and distribution of grand fir west of the Cascades. 65(abs12)
VERTS, B.J. *see* Carraway and Verts, 16-21
VERTS, B.J. and S.D. GEHMEN. Activity and behavior of free-living *Sylvilagus nuttallii*. 231-237
VINCENT, R.J., M.E. DOUGHERTY and S.A. SWIFT. Small scale seismic scattering in ocean crust, as seen in OSE data from site 418A. 73(abs43)
volcanic eruptions
recovery of forest vegetation: Entry and Emmingham, 71(abs33)
recovery of plant communities: Emmingham and Entry, 70(abs32)

W-waves
and planetary rings: Wagner, 76(abs55)
and plant communication: Wagner, 76(abs54)
WAGNER, O.E. Plant communication revisited. 76(abs54)
_____. W-wave solutions for planetary rings. 76(abs55)
WALTERS, B.B. Small mammals in a subalpine old-growth forest and clearcuts. 27-31
Washington
eastern red foxes: Lyman, 22-26
elk: Hein *et al.* 217-222
water quality
Rock Creek: Clark and Hampton, 68(abs21)
Snake River plain aquifer: Barrash, 73(abs44)
water table gradients
and plant communities: Riegel, 79(abs65)
weeds
meadow knapweed invasion: Roché and Roché, 53-61
wetlands
plant community patterns: Emers, 78(abs63)
WIGHT, J.R. *see* Hanson and Wight, 74(abs46)
WINDELL, J. *see* Toetz *et al.* 89-92
Wyoming
forest use by birds: Norment, 1-9

Yellowstone National Park
lichens: Eversman, 68(abs23)
vegetation (book review): Spomer, 251-252
YENSEN, E., M.P. LUSCHER and S. BOYDEN. Structure of burrows used by Idaho ground squirrels, *Spermophilus brunneus*. 93-100

zoogeography
red foxes: Lyman, 22-26